

# Research Activities - Jörg Rottler

---

Development and application of computational methods for the study of (soft) material behavior:

- in **out-of-equilibrium** situations
- from the **nanoscale** (often fluctuation-dominated) to the continuum (bulk behavior)

Focus areas:

1. How things break: mechanical behavior of **amorphous** materials such as metallic and polymer glasses, also soft glasses (colloids, etc.)
2. Modeling of **charged (bio)molecular systems** through novel algorithms
3. Microstructural evolution during **thin film growth**

Goals:


- understand the **molecular** origins of **macroscopic** material properties
- theory and modeling as a **guide** for the design of new materials

# Deformation of disordered (glassy) matter


---

- Glassy materials exhibit **slow dynamics** and relaxation times longer than experimental timescales
- What is the elementary mechanism of deformation?

**Shear transformation zone** (amorph)



Dislocation (crystal)



- What leads to shear localization (bands)?


## Planned activities:

- **molecular dynamics** studies of both coarse-grained and atomistic models on the nanoscale: failure modes, conditions and mechanisms of localization, history dependence (aging), nonequilibrium steady shear
- connect to **larger scales and longer times** by using MD input in phenomenological models, test microscopic theories of flowing glasses

# Electrostatic effects in (bio)materials

---

## Pearl-necklace phase of polyelectrolyte



from: “Electrostatic effects in soft matter and biophysics”

- **Charged systems** pose major challenges to numerical simulation due to the long range Coulomb interaction
- We have developed **local Coulomb algorithms** based on auxiliary fields
- $O(N)$  scaling
- Easy treatment of local dielectric effects

## Planned activities:

- use the local algorithms to treat **inhomogeneous dielectrics  $\epsilon(\mathbf{r})$** ; contrast btwn. water ( $\epsilon=80$ ) and hydrocarbons ( $\epsilon=2$ ) often ignored.
- (re)examine in this context counterion distribution in front of charged surfaces (Guy-Chapman), like-charge attraction btwn. charged rods (DNA)
- long-term goal: improved **mesoscale models for ion-channel transport**